


Sweet potato (Broth)

Broth for the cultivation of yeasts and moulds.

- **Storage :** 2 - 25 °C
- **Incubation :** 25 - 30 °C for 48 - 72 h

Cat. No.	Description	Pack.	€ Excl. VAT
777347	Dehydrated Medium Potato Broth Agar - Condalab	500 g	NC -

Sweet potato (Agar)



A medium for the cultivation and identification of yeasts and moulds in food.

- **Storage :** 2 - 25 °C dehydrated base and for ready-to-use medium
- **Incubation :** 30 ± 2°C for 18 - 48 h up to 7 days if necessary (for *Trichophyton menragrophytes* culture)

Aspergillus brasiliensis

Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777346	Dehydrated Medium sweet potato - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693377	100 ml bottle - sweet potato - ClearLine®	10	NC -

Pseudomonas (CFC - Agar)

For the enumeration and isolation of *Pseudomonas* spp in meat and meat products.

- **Storage :** 2 - 25 °C
- **Incubation :** 25 ± 1 °C for 44 ± 4 h

Cat. No.	Description	Pack.	€ Excl. VAT
777350	Dehydrated Medium CFC agar (base) <i>Pseudomas</i> - Condalab	500 g	NC -

Supplement

To be reconstituted in 5 ml of distilled water

Cat. No.	Description	Pack.	€ Excl. VAT/ box
77773	C.F.C. supplement (Cetrimide / Fusidate sodium / Cephalothin (sodium salt)) - Condalab	10 bottles for 500 ml	NC -

Pseudomonas CN (Agar)

Medium for enumeration and identification of *Pseudomonas aeruginosa* by membrane filtration. Medium recommended by UNE-EN 12780 and EN ISO 16266.

- **Storage :** 2 - 25 °C
- **Incubation :** 36 ± 2 °C for 22 ± 2 h

Cat. No.	Description	Pack.	€ Excl. VAT
777351	Dehydrated Medium <i>Pseudomas</i> CN agar (UNE-EN 12780:2002) - Condalab	500 g	NC -

R2A (Agar)

For the heterotropic enumeration of bacteria in drinking water by the membrane filtration technique or agar plating.

- **Storage :** 2 - 25 °C dehydrated base and for ready-to-use medium
- **Incubation :**
 - According to the standard methods for water and wastewater: 20 - 28 °C for 5 - 7 days then 35 °C for 5 - 7 days
 - According to the pharmacopoeia : 30 - 35 °C for at least 5 days
 - For general use : 35 ± 2 °C for 24 - 72 h

Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777365	Dehydrated medium R2A agar - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693379	100 ml bottle - R2A agar - ClearLine®	10	NC -
993937B	200 ml bottle - R2A agar - ClearLine®	6	NC -

Rappaport Vassilliadis (RV - Broth)

For the selective enrichment of salmonella in foodstuffs.

- **Storage :** 2 - 25 °C (for dehydrated base) and 2 - 8 °C (for ready-to-use media)
- **Incubation :** 30 - 35 °C for 18 - 24 h

Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777355	Dehydrated Medium Rappaport Vassilliadis Broth - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693414	10 ml tube - Rappaport Vassilliadis broth - ClearLine®	100	NC -
693380	100 ml bottle - Rappaport Vassilliadis broth - ClearLine®	10	NC -

Rappaport Vassilliadis Soja (RVS - Broth)

For the selective enrichment of salmonella in foodstuffs or pharmaceutical products.

- **Storage :** 2 - 25 °C (for dehydrated base) and 2 - 8 °C (for ready-to-use media)
- **Incubation :** 41.5 ± 1 °C for 24 ± 3 h

Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777357	Dehydrated Medium Rappaport Vassilliadis soy broth ISO 6579 / ISO 11133 / ISO 19250 - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693415	10 ml tube - Rappaport Vassilliadis soy broth - ClearLine®	100	NC -

Ringer

Thinner for general use in the dairy industry.

- **Storage :** 20 - 25 °C

Cat. No.	Description	Units/ box	€ Excl. VAT/ box
693406	ClearLine® Ringer tablets (1/4 solution)	100	NC -
693348	ClearLine® 1/4 Ringer solution - 90 ml bottle	10	NC -