


Salmonella chromogenic agar



Medium for the isolation of *Salmonella* spp. from clinical samples, water and food industries.

- Storage : 2 - 8 °C
- Incubation : 35 ± 2 °C for 18 - 24 h


Cat. No.	Description	Pack.	€ Excl. VAT
777376	Chromogenic base medium for <i>Salmonella</i> isolation - Condalab	500 g	NC -

Supplement

- Antibiotic mix - To be reconstituted in 5 ml of sterile distilled water

Cat. No.	Description	Pack.	€ Excl. VAT
778404	Antibiotic mix supplement	10 bottles for 500 ml	NC -

Slanetz and Bartley (Agar)




Used for the isolation and enumeration of enterococci in water, foodstuffs by membrane filter technique or isolation on Petri dishes. According to ISO 11133 / ISO 7899-2.

- Storage : 2 - 25 °C
- Incubation : 36 ± 2 °C for 44 ± 4 h

Cat. No.	Description	Pack.	€ Excl. VAT
777389	Dehydrated medium Slanetz and Bartley agar - Condalab	500 g	NC -

S.S. (Salmonella Shigella - Agar)



For the selection and isolation of *Salmonella* and *Shigella*.

- Storage : 2 - 25 °C (dehydrated base and ready-to-use medium)
- Incubation : 35 ± 2 °C for 18 - 24 h

Salmonella typhimurium


Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777378	Dehydrated medium S.S. agar - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693385	100 ml bottle of S.S. agar - ClearLine®	100	NC -

Modified S.S. (Salmonella Shigella - Agar)



For the selection and isolation of *Salmonella* and *Shigella*.

- Storage : 2 - 25 °C
- Incubation : 35 ± 2 °C for 18 - 24 h

Cat. No.	Description	Pack.	€ Excl. VAT
777379	Dehydrated Medium Modified S.S. agar - Condalab	500 g	NC -

Salmonella typhimurium *Shigella sonnei*

Selenite (Broth)

Used for the selective enrichment of *Salmonella* in water, foodstuffs and clinical samples.

- Storage : 2 - 8 °C
- Incubation : 35 ± 2 °C for 18 - 24 h

Cat. No.	Description	Pack.	€ Excl. VAT
777390	Dehydrated Medium Selenite agar - Condalab	500 g	NC -

Selenite cystine (Broth)

For the selective enrichment of *Salmonella* in water or foodstuffs.

- Storage : 2 - 8 °C
- Incubation : 35 ± 2 °C for 18 - 24 h

Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777385	Dehydrated medium Selenite cystine agar - Condalab	500 g	NC -

Ready-to-use media

Cat. No.	Description	Pack.	€ Excl. VAT
693417	10 ml tube of Selenite Cystine agar - ClearLine®	100	NC -
693386	100 ml bottle of Selenite Cystine agar - ClearLine®	10	NC -

SIM (Agar)

Semi-solid medium for the differentiation of enterobacteria.

- Storage : 2 - 25 °C
- Incubation : 35 ± 2 °C for 18 - 24 h

Cat. No.	Description	Pack.	€ Excl. VAT
777387	Dehydrated medium SIM agar - Condalab	500 g	NC -


SPS (Sulfite Polymyxin Sulfadiazine - Agar)

For the isolation and enumeration of *Clostridium perfringens* in foods.

- Storage : 2 - 25 °C
- Incubation : 35 ± 2 °C for 24 - 48 h

Cat. No.	Description	Pack.	€ Excl. VAT
777391	Dehydrated medium SPS agar - Condalab	500 g	NC -

Staphylococcus (Chromogenic agar)



Chromogenic medium for the detection and differentiation of different staphylococcal species.

- Storage : 2 - 25 °C
- Incubation : 35 ± 2 °C for 24 - 48 h

Green colonies : *Staphylococcus epidermidis*
Blue-green colonies : *Staphylococcus saprophyticus*
Magenta colonies : *Staphylococcus aureus*

Cat. No.	Description	Pack.	€ Excl. VAT
778437	Chromogenic medium for Staphylococci - Condalab	500 g	NC -

Iron sulfite agar ISO 15213

For the enumeration of sulphate-reducing bacteria under anaerobic conditions.

- Storage : 2 - 25 °C
- Incubation : 37 ± 1 °C for 24 - 48 h

Cat. No.	Description	Pack.	€ Excl. VAT
777844	Dehydrated Medium iron sulphate agar - Condalab	500 g	NC -