


## Indole Urea (Broth) - ISO 10273

Broth for urease-based differentiation of enterobacteria and indole production and tryptophan transdeamination (TDA).

- **Storage :** 2 - 25 °C
- **Incubation :** 35 ± 2 °C for 18 - 24 h



Cat. No.	Description	Pack.	€ Excl. VAT
777428	Dehydrated medium urea indole broth - Condalab	500 g	NC -

### Supplement

For 1000 ml of medium.

Cat. No.	Description	Bottle	€ Excl. VAT
528771-CER	Denatured ethanol 95%	1 l	NC -

## Brilliant Green Bile 2 %

See BLBVB page 567

## Brilliant green with tetrathionate (Broth)

Medium for the enrichment of salmonella in food and water.

- **Storage :** 2 - 8 °C
- **Incubation :** 35 ± 2 °C for 24 h

Cat. No.	Description	Pack.	€ Excl. VAT
777204	Dehydrated medium bright green broth mixed with tetrathionate - Condalab	500 g	NC -

## Bright Green Phenol Red (Kristensen Agar) ISO 19250 / ISO 6579

Recommended for the detection of Salmonella other than Salmonella typhi in food and pharmaceutical products.

It is a very selective medium for Salmonella. The high level of bright green inhibits the growth of Gram-positive and most Gram-negative bacteria. The use of this medium for the isolation of enterobacteria is not recommended. Similarly, there is little or no growth of typhoid salmonella and shigella.

- **Storage :** 2 - 25 °C
- **Incubation :** 35 ± 2 °C for 18 - 24 h

Cat. No.	Description	Pack.	€ Excl. VAT
777198	Dehydrated medium bright green phenol red agar - Condalab	500 g	NC -

## Liver meat (Agar)

Recommended for the detection and enumeration of sulphite-reducing clostridium spores in food products.

- **Storage :** 2 - 8 °C
- **Incubation :** 37 °C for 24 - 48 h

Cat. No.	Description	Units/box	€ Excl. VAT/box
693421	20 ml tube of Meat & Liver agar, complete - ClearLine®	6	NC -
693392	100 ml bottle of Meat & Liver agar, complete - ClearLine®	10	NC -

## V.R.B.G. (Violet Red Bile Glucose)

VRBG agar is recommended for the detection and enumeration of Enterobacteriaceae in foods.

- **Storage :** 2 - 25 °C (dehydrated base)  
2 - 25 °C in the dark (ready-to-use medium)
- **Incubation :** 30 - 35 °C for 18 - 24 h

### Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777431	Dehydrated agar medium V.R.B.G. - Condalab	500 g	NC -


### Ready-to-use media

Cat. No.	Description	Units/box	€ Excl. VAT/box
693393	100 ml bottle of V.R.B.G. agar - ClearLine®	10	NC -
853077B	V.R.B.G. contact box	20	NC -

## V.R.B.L. (Violet Red Bile Lactose)

VRBL agar is recommended for the detection of coliforms in food and dairy products.

- **Storage :** 2 - 25 °C (dehydrated base)  
2 - 25 °C in the dark (ready-to-use medium)
- **Incubation :** 30 - 35 °C for 18 - 24 h



Salmonella gallinarum Escherichia coli

### Dehydrated base

Cat. No.	Description	Pack.	€ Excl. VAT
777432	Dehydrated agar medium V.R.B.L. - Condalab	500 g	NC -

### Ready-to-use media

Cat. No.	Description	Units/box	€ Excl. VAT/box
693394	100 ml bottle of V.R.B.L. agar - ClearLine®	10	NC -
993804B	200 ml bottle of V.R.B.L. - ClearLine®	6	NC -
853074B	V.R.B.L. contact box	20	NC -

## WL (differential agar)

For the selection and control of microbial flora in fermented products, especially beer.

- **Storage :** 2 - 25 °C
- **Incubation :** 30 °C for 24 - 48 h

Cat. No.	Description	Pack.	€ Excl. VAT
777437	Dehydrated agar medium W.L. - Condalab	500 g	NC -

## WORT (Broth)

For the determination of yeast.


- **Storage :** 2 - 8 °C
- **Incubation :** 30 °C for 48 h

Cat. No.	Description	Pack.	€ Excl. VAT
777895	Dehydrated broth medium WORT - Condalab	500 g	NC -

## Wilson Blair (agar) - Bismuth Sulphite Agar

A highly selective medium recommended for the detection of Salmonella, especially Salmonella typhi, in clinical specimens, dairy products and foodstuffs.

- **Storage :** 8 - 15 °C
- **Incubation :** 35 - 37 °C for 24 - 48 h



Salmonella typhi

Cat.No.	Description	Pack.	€ Excl. VAT
777192	Dehydrated Medium Wilson Blair Agar - Condalab	500 g	NC -