

Polypropylene measuring cylinders



Nalgene™ Economic measuring cylinders



- ▶ Moulded graduations
- ▶ Made of translucent polypropylene

Capacity (ml)	Increment (ml)	Cat. No.	€
10	0.2	028842	NC -
25	0.5	028843	NC -
50	1	028844	NC -
100	1	028845	NC -
250	2	028846	NC -
500	5	028847	NC -
1000	10	028848	NC -

Polypropylene economic measuring cylinders



- ▶ Polypropylene, autoclavable at +121°C for 20 minutes
- ▶ According to ISO 6706-1981 and BS 5404 (2nd part 1977) special polypropylene, highly transparent
- ▶ Withstand temperatures of +100°C during continuous use
- ▶ Permanent embossed graduations
- ▶ Excellent chemical resistance

Cat. No.	Vol. (ml)	Graduation (ml)	Divisions (ml)	Accuracy (ml)	Ø x H (mm)	Units/box	€/box
046608	10	2	0.2	+/- 0.2	13,5 x 140	1	NC -
046609	25	5	0.5	+/- 0.5	18 x 195	1	NC -
046610	50	10	1	+/- 1.0	25,5 x 199	1	NC -
046611	100	10	1	+/- 1.0	30,5 x 249	1	NC -
046612	250	20	2	+/- 2.0	41,5 x 315	1	NC -
046613	500	50	5	+/- 5.0	55 x 361	1	NC -
046614	1000	100	10	+/- 10.0	66 x 439	1	NC -
391341	2000	200	20	+/- 20.0	84 x 531	6	NC -

High form measuring cylinders with blue graduations



- ▶ Material: special polypropylene
- ▶ Very transparent
- ▶ Autoclavable at +121 °C for 20 minutes
- ▶ According to ISO 6706 – 1981 and BS 5404 (2nd part 1977) standards
- ▶ Can withstand temperatures of +100°C during continuous use
- ▶ Permanent graduations
- ▶ Water-repellent walls
- ▶ Total absence of meniscus

Vol. (ml)	Grad. (ml)	Division (ml)	Accuracy (ml)	Ø x H (mm)	Units/box	Cat. No.	€/box
10	2	0.2	+/- 0.2	13,5 x 140	10	391350	NC -
25	5	0.5	+/- 0.5	18 x 195	30	391351	NC -
50	10	1	+/- 1.0	25,5 x 199	30	391352	NC -
100	10	1	+/- 1.0	30,5 x 249	30	391353	NC -
250	20	2	+/- 2.0	41,5 x 315	12	391354	NC -
500	50	5	+/- 5.0	55 x 361	12	391355	NC -
1000	100	10	+/- 10.0	66 x 439	6	391356	NC -
2000	200	20	+/- 20.0	84 x 531	2	391357	NC -

Graduated polypropylene measuring cylinders



- ▶ Easy to read moulded graduations
- ▶ Large non-drip spouts
- ▶ Hexagonal base for more stability
- ▶ Autoclavable
- ▶ Precision standard : DIN 1261 / ISO 6706

Capacity (ml)	Gradations (ml)	Margin of error (mm)	Height (mm)	Units/box	Cat. No.	€/box
10	0.2	± 0,2	138	12	224032	NC -
25	0.5	± 0,5	170	12	224033	NC -
50	1	± 1	198	12	224034	NC -
100	1	± 1	257	6	224035	NC -
250	2	± 2	314	6	224036	NC -
500	5	± 5	344	3	224037	NC -
1000	10	± 10	412	3	224038	NC -
2000	20	± 20	482	3	224039	NC -